

intermodal transport, modelling, multi-agent systems,
coordination, transport network

Leszek MINDUR

International University of Logistics and Transportation
Soltysowicka street 19 b, 51-168 Wrocław, Poland

Marcin HAJDUL*

Institute of Logistics and Warehousing
Estkowskiego street 6, 61-855 Poznań, Poland

**Corresponding author.* E-mail: Marcin.Hajdul@ilim.poznan.pl

THE CONCEPT OF INTERMODAL NETWORK DEVELOPMENT IN POLAND USING MULTI-AGENT SYSTEMS

Summary. The market share and the development of intermodal haulages, they are still at a very low level. It amounts in total goods transported by rail to 2,5% - 3%. The major reason for this situation is lack of coherent method for intermodal network designing. Such method should take into consideration strong relations between transport users, transport service providers, so the micro scale, as well as the regions where they are operating, so the meta scale.

The aim of this paper is to present method which makes possible elimination of existing barriers in intermodal transport. The proposed method, for the sake of relations between actors involved in intermodal transport organisation, refers to multi-agent system concept. This system assumes coordinated actions in favour of concrete problem solution with support of cooperating agents, that is, in described paper, actors connected with intermodal transport.

Paper presents results of the research project N509 398536, called: „Intermodal logistics network in Poland – concept of model solutions and implementation aspects” carried out by the Institute of Logistics and Warehousing under scientific leadership of professor Leszek Mindur.

KONCEPCJA ROZWOJU PRZEWOZÓW INTERMODALNYCH W POLSCE PRZY WYKORZYSTANIU SYSTEMÓW WIELOAGENTOWYCH

Streszczenie. Przewozy intermodalne w Polsce, pomimo podejmowania wielu prób ich rozwoju, są wciąż na bardzo niskim poziomie. Udział transportu intermodalnego w łącznych przewozach kolejowych wynosi ok. 2,5% - 3%. Jedną z podstawowych przyczyn tej sytuacji jest brak spójnej metody kształtowania sieci intermodalnej w Polsce. Metoda ta powinna uwzględniać silne relacje pomiędzy użytkownikami transportu, dostawcami usług transportowych, a systemem transportowym kraju, czy regionu w którym prowadzą działalność.

Celem artykułu jest zaprezentowanie metody, która umożliwia skoordynowane działania mające na celu kształtowanie sieci intermodalnej oraz eliminację istniejących barier ograniczających rozwój tego typu przewozów. Opracowana metoda, ze względu zależności pomiędzy podmiotami zaangażowanymi w organizację przewozów intermodalnych, nawiązuje do koncepcji systemu wieloagentowego. System ten zakłada skoordynowanie działań na rzecz rozwiązania konkretnego problemu za pomocą

współpracujących agentów (holonów), czyli w prezentowanym przypadku podmiotów związanych z przewozami intermodalnymi w Polsce.

Prace te są wynikiem projektu badawczego własnego nr N509 398536 pt.: „Intermodalna sieć logistyczna w Polsce – koncepcja rozwiązań modelowych i uwarunkowania wdrożeniowe” realizowanego w Instytucie Logistyki i Magazynowania w Poznaniu pod kierunkiem prof. dr hab. Leszka Mindura.

1. INTRODUCTION

European Union countries have been observing a steady growth in the movement of goods by road transport, despite the financial crisis. As specified by the European Commission, the share of road transport in total movement of goods (in tkm) in the European countries amounted to 76,9% [22]. Rail transport accounted for as little as 17,6% [22]. This, in combination with the increase in trade in goods, results in the fact that an increasing number of roads reach their maximum capacity and the efficient organisation of transportation processes becomes increasingly difficult or impossible [1, 3, 10]. Moreover, as the authors have observed, enterprises make attempts at fulfilling their customers' orders frequently and quickly, using mainly road transport. The consequence of such an approach is that the enterprises, while improving the processes and increasing customer satisfaction in short term, may contribute to their deterioration in long term. It should be noted that frequent and quick deliveries require more means of transportation which in turn boosts traffic congestion and deterioration of road safety. The growing congestion results in the decrease of average driving speed, which eventually extends the delivery time and thus may affect customer satisfaction and, in worst-case scenario, loss of orders [1].

The European Commission has been making attempts at tackling the problem of traffic congestion growth and deteriorating road safety by presenting in its documents the strategy of transportation and logistics development. One of the first ideas published in the White Paper was to increase the share of alternatives to road transport, in particular rail transport. Also intermodal transport was stressed, meaning freight transport in which the goods are moved by various modes of transport. In the intermodal transport, the goods are moved in the same loading unit or vehicle, along the entire route from the sender to the receiver, without transshipment of goods, using various modes of transport. The vehicle may be of a road or rail vehicle, barge or a vessel.

This study presents an innovative approach to the development of the intermodal network in Poland. The chief assumption is to develop a solution that would eliminate the barriers hindering the development of intermodal transport and take into consideration the strong interrelations between the transport subsystem of enterprises (service recipients and providers) and the state transport system.¹

2. THE INTERMODAL NETWORK IN POLAND

Poland, due to its geographical location, can use practically all transport modes for intermodal transport. However, in practice, intermodal transport using inland waterways does not exist. On the other hand, solutions combining maritime and road transport are applied.

Intermodal transport is handled in intermodal transport units, so called UTI (French: Unités de Transport Intermodal), which were codified by European railways. These units include: containers, swap bodies and semi-trailers. It should be added that over 98% of goods are transported in containers [15].

¹ This study is a result of own research no. N N509 398536 called: The Intermodal Logistic Network in Poland – models to follow and implementation conditions” carried out in the Institute of Logistics and Warehousing in Poznań under the supervision of prof. Leszek Mindur, PhD.

In the organisation of intermodal movement of goods, the efficient linear transport infrastructure and transport nodes are necessary. In the case of Poland, this should cover good quality railways and a network of container terminals allowing the transshipment of a unit between the modes of transport.

Over the last 5 years a significant 50% increase in the number of container terminals in Poland could be observed.

Figure 1 presents the location of the 29 container terminals which facilitate the transshipment of intermodal UTIs. These terminals are the property of various business entities which often have capital relations. An example of such enterprise may be PKP Cargo S.A. and CargoSped Sp. z o.o. or PCC Port Szczecin and PTK Holding S.A. There are also undertakings of local companies.




Fig. 1. The network of container terminals in Poland

Rys. 1. Sieć terminali kontenerowych w Polsce

Unfortunately, despite a considerable development of transport nodes in Poland, the share of intermodal transport in rail transport based on the data of Central Statistical Office, PKP Cargo and PCC Intermodal accounts for app. 2,5% - 3%. At the moment most containers from Polish seaports are transported by road (app. 80%). In 2008 four ports (Gdańsk, Gdynia, Szczecin, Świnoujście) transhipped the total of 859183 TEUs, which is by 20% up against the total number of containers transported intermodally in Poland. Similar is the situation with transporting containers to Poland from chief European ports, such as Rotterdam, Hamburg or Bremerhaven, where in 2008 almost 650k TEUs were transported to or from Poland by road [23]. Hence the market is a high-potential one and the

volume of intermodal transport may in foreseeable future grow up to app. 10-15%. However, further development is required, as well as upgrade of both transport nodes and linear logistic infrastructure. These changes, due to their key importance to the growth of intermodal transport, should also be a priority for national, regional and local authorities. Activities related to the removal of a number of barriers hindering the development of intermodal transport are particularly important.

The development of the intermodal transport in Poland requires that actions to eliminate the existing barriers and supporting (promoting) actions be undertaken.

The main actions to eliminate said barriers include:

Barrier: relatively low quality of railroad services

Eliminating actions:

- upgrade of the AGTC railways;
- shortening the regular travel time of trains with intermodal units;
- assuring scheduled travel times of trains;
- monitoring the connections and assuring up-to-date information on packages for customers.

Barrier: lack of price competitiveness as compared to road transport

Eliminating actions:

- flexible price and discount policy of PKP,
- state budget subsidies for operators to co-finance the costs of combined/intermodal transport;
- income tax benefit for companies using combined/intermodal transport;
- income tax benefits for terminal operators;
- exemption from the motor vehicle tax for road carriers drop-off/pick-up of loading units from and to terminals
- measures to limit the demand for long distance road transport of goods.

The fact that it is difficult to assure a significant development of the combined/intermodal transport without state aid (in particular financial assistance) has been proved in EU states, in particular those which play a leading role on the combined transport market in Europe. These states assumed, following the recommendations of the EC Commission, that this transport mode should be promoted before the competitive conditions between the road and rail transport are balanced.

Hence, in view of the authors, before the competitive conditions between the transport modes are balanced, in particular by internalising external costs of transport and harmonising the fees for using the transport infrastructure, at least strategic connections in the combined transport infrastructure should be financially supported by the state, which would result in the development of a stable transport network and reduction of transport cost in this technology as well as the adaptation of the market to such a system.

The economic instruments supporting the development of combined transport include state financial aid related to AGTC upgrade and capital investments in specialised rolling stock.

When selecting the instruments to support combined transport, one should take into consideration the factors provided for by the Act on the Regional Development Support Principles. This applies in particular to investments in linear infrastructure and transport nodes which largely comprises an element of regional policy. It is also important to strengthen the actions of local self-governments and regional authorities to create a logistics centres infrastructure with intermodal terminals connected with road and rail infrastructure.

The experiences and achievements of other countries in the development (of intermodal transport) shows that an effective and consistent state transport policy is required, under long-term programmes for the development of combined/intermodal transport.

The significance and role of the programme in transport development in Poland has been discussed by many experts, thus making the Ministry of Infrastructure the initiator and supervisor of

Programme's implementation. This confirms the statement that the future of combined transport in Poland will be decided by consistent implementation of the long-term Combined Transport Development Programme (Program Rozwoju Transportu Kombinowanego) with full commitment of the state.

The tasks under the Intermodal Transport Development Programme should be implemented in parallel by the Ministry of Infrastructure and all entities operating on the transport market. Concurrently, the role of the Ministry, as a state authority, should focus on:

- 1) implementation of instruments promoting intermodal transport
- 2) creation of legal bases for granting a global and comprehensive state aid for the intermodal system, i.e. the creation of conditions conducive to the development of transport in Poland and it will be up to the enterprises operating on the market whether the provided opportunities are fully put to use.

This would considerably strengthen the role of the Ministry of Infrastructure in the process of strategic planning of transport development thus creating a chance to integrate various modes of transport and to develop intermodal transport under the integrated transport system in Poland.

Barrier: technical

- Different track gauges in Europe.
- Various traction power supply voltages in individual EU states.
- Unfavourable rates for access to rail infrastructure for intermodal operators (in 2009 the rate, in line with the intermodal tariff, amounted to PLN 5,44 per km, and in 2010 it was as much as PLN 12,32 per km).

On the other hand, supporting (promoting) actions include:

- setting up combined/intermodal networks in Poland, supported out of public aid, as the first stage of building a modern logistics and transport infrastructure;
- building logistics centres and upgrade of intermodal terminals located in seaports and in the AGTC railway network;
- assuring the harmonisation and standardisation of intermodal loading units;
- development of intermodal transport to/from Scandinavia;
- commissioning and development of regular container line along the E-WE-E line using the Trans-Siberian Railway.

Concurrently, the operators on the combined transport market should focus on making the offer of this transport mode more attractive, e.g. by means of:

- assuring the regular passage of trains with intermodal loading units in line with the timetable and with travel time competitive to road transport;
- reduction of service time of intermodal units at terminals;
- ongoing monitoring of all lines using IT systems;
- assuring more effective marketing and promotion of combined transport;
- steady cooperation with local and regional authorities in developing the intermodal terminals infrastructure and logistics centres.

Based on their analysis, the authors have concluded that there is a multifaceted research issue consisting in the lack of a coherent method of developing the intermodal network in Poland. This method should include strong relations between transport subsystems of transport users, transport service providers and the transport system of the country or a region they operate in. In addition, this method should be consistent with the concept of sustainable development, i.e. taking into account the economic, environmental and social factors.

The method developed by the authors should allow the coordinated actions aimed at the development of intermodal network and elimination of identified barriers. These actions, as the

research has shown, are at the moment being carried out individually by various business entities and public administration. Thus, the basic concept underlying the developed method is the coordination of individual actions and indication of the meeting point between entities.

The authors, analysing the methods to solve thus formulated research problem, concluded that the devised solution to develop intermodal network in Poland should, in its assumption, relate to multi-agent systems. These systems assume coordinated actions to solve a specific problem using cooperating agents (holons), in this case entities connected with intermodal transport in Poland [8, 9]. The following section presents a detailed description of multi-agent systems and the rationale for their application.

3. MULTI-AGENT SYSTEMS

By analysing the needs of individual entities involved in the development and organisation of intermodal transport in Poland and strong relationships between them, the authors assumed that the said entities, both public and private, should function as a holonic organisation. This gives a possibility to take an innovative approach to the implementation of business processes by creating open, reconfigurable organisations which share the common aim of accurate emulation of market and business environment changeability [21]. Holonic organisations are small, decentralised, partially independent entities which are focused on key competences only [10].

The basic elements of a holonic organisation are holons, i.e. cooperating nodes responsible for gathering, processing, storing and sharing information or physical objects. A holon (also called “agent”) may be a stand-alone entity or a part of a group of holons with a holarchy or a multi-agent system. The idea behind a multi-agent system is a coordinated action aiming at solving a specific problem by cooperating agents (holons). Agents may include major or specialised participants, e.g. an agent searching the best offers, negotiating agent, verifying agent etc. [8, 10].

From the formal point of view, this research was based on the RA-MAS system (Reasoning About Multi-Agent Systems) the purpose of which is to formalise systems composed of many dispersed and concurrent processes [9]. The RA-MAS system, as a multimodal logic, is based on temporal, epistemic and algorithmic logic. The following modal operators are used [9]:

- E – “calculation exists”,
- X – “in the next calculation state”,
- G – “in all calculation states”,
- U – “as long as”.

The said operators are parameterised by agent sets. Such an approach also gives an opportunity to specify and analyse the cooperation between various agent groups in the intermodal network (the same multi-agent system or various multi-agent systems) on the basis of a single formal system.

The modality set adopted by the authors makes it possible to describe such local state of agents as knowledge, belief, goal and method. In addition, the metalanguage adopted in the research includes operators describing the dynamics of the agents’ actions. The possible (A, a) formula means that agent A may perform action a. Formula $\diamond_{\phi} Z \alpha$ means that after performing the set of actions Z, condition α may be true and formula $ER\beta \alpha$ assures that if all members of β group perform their actions, condition α may be true.

From the point of view of creating an intermodal network, it is extremely important to identify conflicts or barriers limiting its operation and development. To that end the $conf(Z)$ formula has been applied, which means that actions composing set Z are in conflict.

The RA-MAS system facilitates clear description of conflicts, which is of particular significance when developing intermodal network (dispersed system). Owing to the application of the said logic, it is possible to identify and describe conflicts and eventually develop solutions.

A conflict may be represented by the following formula:

$$ER\{A1, A2\}true \rightarrow (possible(A1, a) \wedge possible(A2, b) \rightarrow conf(\{a, b\})) \quad (1)$$

which presents a situation in which agents A1, A2 cannot perform their tasks a and b simultaneously as they are conflicting.

The next section presents in detail the concept underlying the method of developing the intermodal logistics network in Poland, based on the multi-agent systems specified above.

4. THE CONCEPT UNDERLYING THE METHOD OF DEVELOPING THE INTERMODAL LOGISTICS NETWORK IN POLAND

The method, in line with the adopted assumptions, relates to multi-agent systems. In the case of the said method, agents are enterprises using transport services, transport service providers and transport process coordinators. It is also worth stating that the intermodal logistics network constitutes an element of a transport system which may be defined as a set made of means transport, point and linear transport infrastructure, people responsible for the operation of the transport system as well as the principles and rules of operation. They are responsible for movement of people and goods from starting points (dispatch points), through potential transshipment points to destination points (reception points). The principles of operation include the principles of traffic movement organisation [12, 13, 18]. Fig. 2 presents the transport system and its environment.




Fig. 2. Transport system and its environment
Rys. 2. System transportowy i jego otoczenie

Hence, having in mind the elements of the transport system, the authors have defined also the additional agent groups responsible for the operation of the transport infrastructure and its principles and rules.

The developed method also defines roles taken on by the participants (agents), dependencies between them and the cooperating companies and the region they operate in. Also strong relations between the micro scale (enterprises) and the mezo scale (region) and macro (country) have been included.

Fig. 3 presents the concept underlying the method of developing an intermodal network in Poland using multi-agent systems.

The cooperating entities share information online, using dedicated digital platforms.

In the developed method, the authors have defined five groups of agents who perform dedicated roles:

Transport users – companies dealing with manufacturing and/or sales. Transport is not their core business and is only subsidiary in performance of main goals. These companies may have own means of transportation or cooperate with transport service providers. As transport users they generate transport orders. Contracts for transport are concluded between users and transport service providers.

Transport service providers – enterprises whose core business is the provision of freight forwarding, transport and logistics services. Their task is to satisfy common transport needs of cooperating companies, i.e. transport users, using one or more modes of transport. The transport service providers may represent one or more modes of transport.




Fig. 3. Method of modelling the intermodal network in Poland using multi-agent systems

Rys. 3. Metoda kształtowania sieci intermodalnej w Polsce przy zastosowaniu systemów wieloagentowych

Infrastructure managers – has a direct impact on the movement of goods using one or more modes of transport. Transport infrastructure may be divided into linear infrastructure and transport nodes, i.e. two main links – terminals allowing the loading units to change the mode of transport and transport routes which connect them. **Linear infrastructure** in rail transport, used for intermodal movement of goods, is made of railroads, i.e. rail tracks as well as equipment and structures absorbing dynamic load resulting from the movement of rolling stock, assuring the security and direction of vehicles. Railroads, similarly to roadways, are classified in line with specific criteria, e.g. one, two or multi-lane roads, arterial roads, primary and secondary, public and private [6].

Transport nodes in this mode are points where the intermodal transport is handled and include a network of goods stations and transshipment points which may be classified depending on their size or specialisation, e.g. junction and intermediate stations, container stations (also referred to as container terminals), stations used for local, national and international traffic service. Larger stations are equipped with material handling equipment installed along the public access tracks, storage yard, possibly a warehouse, operating equipment. Many shippers, e.g. mines or steelworks, have their own loading and unloading points, located at their site sidings [18].

Transport infrastructure also includes modern IT tools allowing fast and online data exchange.²

Transport regulators – from the point of view of intermodal transport development, the regulations pertaining to the organisation of intermodal transport itself and affecting the development of intermodal network in Poland are important.

In the first group of regulations, the key regulations are those related to the price for access to the linear railway infrastructure defined in the tariff determined by PKP PLK S.A.

The other group of legal regulations pertains to the development of intermodal network in Poland. This information should be included in proper planning documents (land and environmental conditions, land use plans, local planning frameworks etc.) These regulations should be followed by specific decisions related e.g. to the development of transport nodes or the linear transport infrastructure.

Coordinator – coordinates the actions of individual agent groups, takes into account their needs, and performs micro and macro-scaled analyses. One of the key tasks of the coordinator is to pinpoint the needs for changes in the organisation of the transport system in the region, i.e. changes regarding transport infrastructure or legal regulations.

The developed method distinguishes between regional coordinators and a national coordinator. Local coordinators who know the specific nature of individual regions may develop the intermodal network more effectively. The key role of the national coordinator, on the other hand, is to gather information from regional coordinators and undertake actions that may have a favourable impact on intermodal transport nationwide. The example of that may be the joint drawing up of pricelist for the access to the linear railway infrastructure for intermodal carriers.

The coordinator's actions should be impartial and in line with the sustainable development concept, which means that they should include the economic, environmental and social aspects. To that end it is necessary for the coordinator to have due legal authority in order to act effectively. The authority should be defined in the national strategy for the development of intermodal transport. The main coordinator should operate at the appropriate unit of the Ministry of Infrastructure, and the positions of regional coordinators should be created at transport departments of the Offices of the Marshal.

Developed quantitative and qualitative algorithms support the works of the coordinator on the regional and national levels (Tab. 1). Their main task is to identify bottlenecks, as well as the point of contact between individual agent groups, indicate which group should implement the changes and what the said changes should pertain to.

² The application of multi-agent systems may include not only the modelling of intermodal network and its impact on the development of intermodal transport, but also any other barriers limiting the growth of this transport technology.

Table 1

Breakdown of created algorithms used in the reference model

Algorithms	Transport regulators	Infrastructure and Network managers	Coordinator	Transport service providers	Transport users
A 1 Operation concept of the centre of competence in the reference model	XX				
A 2 Transport flows analysis in the region			XX	X	X
A 3 Assessment of the transport needs			XX		X
A 4 Assessment of the transport services			XX	X	
A 5 Promotion of intermodal transport services			XX	X	
A 6 Creation of transport Access charges for intermodal operators		X	XX		
A 7 Development of nodal transport infrastructure		X	XX		
A 8 Development of linear transport infrastructure		X	XX		
A 9 Evaluation of the transport regulations	X		XX		
A 10 Clusters development	X		XX		
A 11 Coordination of transport processes within clusters			XX	X	X

XX – initiator of the algorithm, X – consumer of the algorithm

5. SUMMARY

To properly model the intermodal network in Poland, an adequate organisation of cooperation between the links of the intermodal transport chains is required. In one of the most commonly encountered variants, railways share their operating systems and the combined transport enterprises purchase transport services from railways and draw up market offers resulting from the needs of dispatchers, road carriers or freight forwarders. The intermodal transport operators organise and supervise only terminal-to-terminal railway transport and the said intermodal transport enterprises offer comprehensive logistics services. The intermodal transport terminals are handled by railway enterprises, operators and private companies. Road carriers and freight forwarders sell transport services and organise short distance transport from the sender to the terminal or vice versa. It demonstrates the complexity of the processes and how many connections there are to coordinate. In addition, the development of intermodal transport is also affected by current legal regulations, as well as the transport nodes and linear transport infrastructure.

To sum up, it may be concluded that the approach suggested by the authors, consisting in the use of multi-agent system for modelling the intermodal network in Poland, facilitates the coordination of actions carried out by enterprises defined herein. In addition, the developed methodology indicates the actions that should be undertaken in each agent group to increase the application of modes alternative to road transport. It is worth stressing once more, that one of the key factors in modelling the

intermodal network in Poland is the role of public authorities. It is the state that should actively participate in the creation of effective linear infrastructure and transport nodes, supporting both the transport of passengers and goods and undertake actions aimed at elimination of barriers specified herein.

References

1. Fechner I.: *Centra logistyczne w Europie*. In: *Sieci logistyczne na zintegrowanym rynku europejskim*, red. Szyszka G., Wydawnictwo Instytutu Logistyki i Magazynowania, Poznań 2004, pp. 209-227.
2. Hajdul M.: *Racjonalizacja systemów transportowych przedsiębiorstw szansą na zmniejszenie ruchu pojazdów ciężarowych w Wielkopolsce*. Logistyka 4/2007, p. 81.
3. Hajdul M., *Model zintegrowanego systemu przewozów multimodalnych ładunków zjednostkowanych*. In: *Transport Europa-Azja*, red. Mindur L., ITE Radom, Radom 2009.
4. Hajdul M., Fechner I., Kubiak P.: *Przewozy intermodalne – realne korzyści dla firm oraz użytkowników dróg*. Logistyka 2/2008, pp. 27-30.
5. Hajdul M., Rydzkowski W.: *Analiza wpływu zróżnicowania stawek za dostęp do infrastruktury transportowej na rozwój przewozów intermodalnych*. Logistyka 4/2009, pp. 32-36.
6. Hajdul M., Stajniak M., Foltyński M., Krupa A.: *Transport i spedycja*. Biblioteka Logistyka, Poznań 2009.
7. Hajdul M., Rydzkowski W.: *Factors influencing modal split and construction of intermodal chains*. In: *Innovative perspective of transport and logistics*, red. Burnewicz J., Wydawnictwo Uniwersytetu Gdańskiego, Gdańsk 2009, pp. 248-256.
8. Hajdul M., Kawa A., Golińska K., Pawlewski P.: *Cooperative Purchasing of Logistics Services among Manufacturing Companies based on Semantic Web and Multi-Agent System*. In: Demazeau Y. (et al.) (Eds.), 8th International Conference on Practical Applications of Agents and Multiagent Systems, Advances in Intelligent and Soft Computing, Vol. 71, Springer-Verlag, Berlin Heidelberg 2010, pp. 249-256.
9. Kacprzak M.: *A Strong Completeness Result for a MAS Logic*. Annales Societatis Mathematicae Polonae. Series 4: Fundamenta Informaticae, 2006, Vol. 72, nr 1-3, pp. 197-213.
10. Kisperska-Moroń D. (red.): *Czynniki rozwoju wirtualnych łańcuchów dostaw*. Wydawnictwo Akademii Ekonomicznej w Katowicach, Katowice 2009.
11. Komisja Wspólnot Europejskich. *COM(2006) 336 – Freight Transport Logistics in Europe – the key to sustainable mobility*. Communication from the Commission to the Council, the European Parliament, the European Economic and Social Committee and the Committee of the Regions (28-6-2006).
12. Commission of the European Communities. *COM(2006) 314 – Keep Europe moving – Sustainable mobility for our continent. Mid-term review of the European Commission's 2001 Transport White Paper*. Communication from the Commission to the Council and the European Parliament: 4 (22-6-2006).
13. Leszczyński J.: *Modelowanie systemów i procesów transportowych*. Oficyna Wydawnicza Politechniki Warszawskiej, Warszawa 1994.
14. Liberadzki B., Mindur L.: *Uwarunkowania rozwoju systemu transportowego Polski*. Wydawnictwo Instytutu Technologii Eksploatacji – PIB, Radom 2006.
15. Mindur M.: *Transport Europa – Azja*. Wydawnictwo ITE-PIB, Warszawa-Radom 2009.
16. Mindur L. (ed.): *Współczesne technologie transportowe*. Wydawnictwo Politechniki Radomskiej, Radom 2004.
17. Mindur L.: *Technologie transportowe XXI wieku*. Wydawnictwo ITE-PIB, Warszawa-Radom 2008.
18. Neider J.: *Transport w handlu międzynarodowym*. WUG, Gdańsk 2006.
19. Palmtier E.G., Crum C.: *Enterprise sales and operation planning*. J. Ross Publishing, Fort Lauderdale 2003.

20. Rydzkowski W., Wojewódzka-Król K. (ed.): *Transport*. Wydawnictwo Naukowe PWN, Warszawa 2009.
21. Ulieru M., Brennan R.W., Walker S.S.: *The Holonic enterprise: A model for Internet-enabled global manufacturing supply chain and workflow management*. Integrated Manufacturing Systems, 2002, vol. 13, no. 8, pp. 538-550.
22. *European Commission. EUROSTAT*.
<http://epp.eurostat.ec.europa.eu/portal/page/portal/eurostat/home/>
23. *Przewozy Kontenerowe w Polsce (Container Transport in Poland)*. Polska Gazeta Transportowa, 2009-11-26

Received 05.10.2010; accepted in revised form 24.07.2011